

UNITED STATE EPARTMENT OF COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. G PX3904 USW 01/26/01 WILLIAMS 09/647,405 **EXAMINER** QM02/0411 023347 DAVID J LEVY, VP INTELLECTUAL PROPERTY BOMBERG, K **ART UNIT** PAPER NUMBER GLAXO WELLCOME INC GLOBAL INTELLECTUAL PROPERTY FIVE MOORE DR, PO BOX 13398 3754 RESEARCH TRIANGLE PARK NC 27709-3398 **DATE MAILED:** 04/11/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

	_	Application No		Applicant(s)	
Office Action Summary					
		09/647,405	09/647,405 WILLIAMS, GERALT		ALT
		Examiner		Art Unit	
		Kenneth Bomb	erg	3754	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136 (a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status					
1)⊠ Responsive to commur	nication(s) filed on 25	<u>January 2001</u> .			
2a) ☐ This action is FINAL .	This action is FINAL. 2b) This action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)⊠ Claim(s) <u>1-10</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-10</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claims are subject to restriction and/or election requirement.					
Application Papers					
9) The specification is objected to by the Examiner.					
10) The drawing(s) filed on is/are objected to by the Examiner.					
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved.					
12)☐ The oath or declaration is objected to by the Examiner.					
Priority under 35 U.S.C. § 119					
13)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a)⊠ All b)□ Some * c)□ None of:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
14) Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).					
TAIL AGAIDMICUSCHICHE IS MADE OF A GIAMITION COMESTIC PHOIRE CHICAGO S. O.O.O. & TTO(E).					
Attachment(s)					
15) ⊠ Notice of References Cited (PTO-6 16) ☐ Notice of Draftsperson's Patent Dr. 17) ☑ Information Disclosure Statement(s	18) 19) <u>8</u> . 20)	Notice of Informa	iew Summary (PTO-413) Paper No(s) e of Informal Patent Application (PTO-152) :		

Application/Control Number: 09/647,405

• Art Unit: 3754

DETAILED ACTION

Information Disclosure Statement

1. The listing of references in the specification is not a proper information disclosure statement. 37 CFR 1.98(b) requires a list of all patents, publications, or other information submitted for consideration by the Office, and MPEP § 609 A(1) states, "the list may not be incorporated into the specification but must be submitted in a separate paper." Therefore, unless the references have been cited by the examiner on form PTO-892, or initialed on Applicant's form PTO-1449, they have not been considered.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 1-10 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In Reference to Claim 1

In line 2, "notably" is indefinite.

In Reference to Claim 10

The claim is indefinite as it depends from a claim that recites the subcombination of a valve but is directed to a combination valve and dispensing device.

Application/Control Number: 09/647,405 Page 3

* Art Unit: 3754

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 1, 3, 6, 8, and 10 are rejected under 35 U.S.C. 102(b) as being anticipated by DIGIOVANNI et al. (WO 97/16360).

In column 3, line 1 to column 4 line 38, DIGIOVANNI et al. teaches of a metering valve having a stem, made of PTFE¹. The propellant used in the dispenser is disclosed as HFA.

6. Claims 1-5 are rejected under 35 U.S.C. 102(b) as being anticipated by DIGIOVANNI (5,169,038).

In column 3, line 1 to column 4 line 18, and column 6, lines 6-11, DIGIOVANNI teaches of a metering valve according to claims 1-5 made of "thermoplastic". Thermoplastic is well known for generally having the property of many materials not sticking to it (as evidenced by its common use in dispensing containers). Therefore, the valve of DIGIOVANNI meets the claim limitation of the "metering valve is made of a material adapted to reduce the deposition, adhesion and/or coating of product on the valve".

¹ See US patent No. 6,112,950 which is an English language equivalent document filed under 35 USC 371 of the WO 97/16360 document.

Application/Control Number: 09/647,405 Page 4

· Art Unit: 3754

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. Claims 6-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over DIGIOVANNI (5,169,038) in view of REGAN (5,147,075).

DIGIOVANNI shows metering valve substantially according to claims 6-8 but does not show the valve made of PTFE according to the claims. REGAN explicitly teaches (column 3, lines 37-41, column 4, lines 60-63, column 5, lines 2-6) to make thermoplastic components of a valve of PTFE in order to make the components corrosively resistant to the contents of the container.

It would have been obvious to one having ordinary skill in the art to have made the components of a valve of DIGIOVANNI of PTFE in order to make the components corrosively resistant to the contents of the container as explicitly taught by REGAN.

Conclusion

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The remaining prior art listed on the attached FORM PTO-892 has been included because they show various valve components made of PTFE.

Application/Control Number: 09/647,405

• Art Unit: 3754

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kenneth Bomberg whose telephone number is 703-308-2179.

The examiner can normally be reached on Monday-Thursday from 8:30 AM - 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin P. Shaver can be reached on 703-308-2582. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7766 for regular communications and 703-308-7766 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0861.

Kenneth Bomberg Primary Examiner Art Unit 3754

K.B. April 9, 2001 Page 5